	Application No.	Applicant(s)
Notice of Allowability	10/762,724	OUDERKIRK ET AL.
	Examiner	Art Unit
	Mariceli Santiago	2879
		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>Amendment filed June 10, 2004</u> .		
2. The allowed claim(s) is/are <u>1-38</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 		
Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
		·
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Motion of Informal E	2-44 A84 (DTO 450)
2. Notice of Neterences Cited (PTO-992) 2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Patent Application (PTO-152)
	Paper No./Mail Dat	te
 Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 11/04,8/05,12/05 	8), 7. Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
or biological Material	9. ☑ Other <u>IDS: 6/06</u> .	
•		

Art Unit: 2879

DETAILED ACTION

Response to Amendment

The Amendment, filed on June 10, 2004, has been entered and acknowledged by the Examiner.

Claims 1-38 are pending in the instant application.

Allowable Subject Matter

Claims 1-38 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the references of the Prior Art of record fails to teach or suggest the combination of the limitations as set forth in claim 1, and specifically comprising the limitation of an interference reflector positioned adjacent to the layer of phosphor material, and a TIR promoting layer in contact with the layer of phosphor material, the TIR promoting layer having a second index of refraction at the excitation light wavelength that is less than the first index of refraction at the excitation light wavelength.

Regarding claims 2-23, claims 2-23 are allowable for the reasons given in claim 1 because of their dependency status from claim 1.

Regarding claim 24, the references of the Prior Art of record fails to teach or suggest the combination of the limitations as set forth in claim 24, and specifically comprising the limitation of a TIR promoting layer in contact with the layer of phosphor material, the TIR promoting layer having a second index of refraction at the excitation light wavelength that is less than the first index of refraction at the excitation light wavelength.

Regarding claims 25-38, claims 25-38 are allowable for the reasons given in claim 24 because of their dependency status from claim 24.

Application/Control Number: 10/762,724

Art Unit: 2879

Page 3

payment of the issue fee and, to avoid processing delays, should preferably accompany the

Any comments considered necessary by applicant must be submitted no later than the

issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons

for Allowance."

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Mariceli Santiago whose telephone number is (571) 272-2464. The

examiner can normally be reached on Monday-Friday from 9:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Nimesh Patel, can be reached on (571) 272-2457. The fax phone number for the

organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about PAIR system,

see http://pair-direct.uspto.gov. Should you have questions on access to Private PAIR system,

contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mariceli Santiago Primary Examiner

Art Unit 2879